AUTHOR INDEX

Aeiyach, S., 103
Akagi, K., 245
Aldebert, P., 1
Antoniadou, S., 309
Auderbert, P., 1
Awano, H., 389

Barker, J., 43
Barney, A. A., 191
Batail, P., 25
Berges, P., 79
Bernussi, A. A., 171
Blau, W., 229
Bloor, D., 33
Bøwadt, S., 179
Burns, A., 191
Byrne, H. J., 229

Cao, Y., 263
Coulon, C., 25

Dalal, N. S., 63
da Silva, M. P., 171
Deguchi, Y., 351
Díaz Calleja, R., 79
Drury, M. R., 33

Enoki, T., 135

Fernando, Q., 91
François, B., 283
Froyer, G., 103
Furukawa, Y. , 253

Gualberto, G. M., 171

Hagiwara, T., 367
Hanack, M., 257
Heeger, A. J., 263
Hino, S., 301
Hirasaka, M., 367
Hotta, S., 395

Ignatious, F., 283
Imai, Y., 253
Inokuchi, H., 135
Inoue, M., 91
Inoue, M. B., 91
Ito, O., 237
Iwata, K., 367

Jannakoudakis, A. D., 309
Jannakoudakis, P. D., 309
Jen, K.-Y., 229
Jensen, F., 179

Kanazawa, I., 135
Karabunarliev, S. H., 51
Kathirgamanathan, P., 329
Khomenko, A. G., 381
Klar, G., 79
Kokkinidis, G., 113
Kudnig, J., 79
Kuroda, H., 301

Lacaze, P. C., 103
Laukhin, V. N., 381
Laukhina, E. E., 381
Lenoir, C., 25
Lopez Navarrete, J. T., 151
Lusk, J., 219

Machi, L., 91
Maddison, D. S., 219
Mathis, C., 283
Matsumoto, K., 301
Mori, K., 210, 237
Müllen, K., 15
Murakami, H., 135
Mu Shaolin, 129

Nakamura, Y., 201
Nebesny, K. W., 91

Oh, S. Y., 245
Ohigashi, H., 389

Pelous, Y., 103
Penicaud, A., 25
Perrin, A., 25
Pineri, M., 1
Pokrovskii, V. Ya., 321
Poulios, I., 113

Qian Bidong, 129
Quill, K., 329

Räder, H.-J., 15
Risen, W. M., Jr., 191

Sánchez-Martínez, E., 79
Sano, M., 135
Sato, K., 367
Sazou, D., 113
Scherer, U., 15
Schiavon, G., 209
Shirakawa, H., 245
Sitran, S., 209
Smith, P., 263
Sotelo, M., 91
Soubiran, P., 103
Springborg, M., 337

Takahashi, A., 201
Tanaka, K., 141, 351
Tasumi, M., 253
Teng, G., 63
Theodoridou, E., 309
Tirmizi, S. A., 191
Tsonchev, S. I., 51
Tyutyulkov, N. N., 51

Underhill, A. E., 329
Unsworth, J., 219

Vermehren, P., 257

Wang, S., 141
Waragai, K., 395
Watanabe, A., 201, 237
Wolf, P., 15

Yagubskii, E. B., 381
Yakushi, K., 301
Yamabe, T., 141, 351
Yamakado, H., 301
Yamashita, S., 351
Yamauchi, J., 351
Yamaura, M., 367
Yang, S., 191

Zaitsev-Zotov, S. V., 321
Zerbi, G., 151
Zotti, G., 209

© Elseviers Sequoia/Printed in The Netherlands

SUBJECT INDEX

Antiferromagnetic chains
uniform, non-interacting, of spins in 1:1 bis-ethylenedithiotetrathiafulvalenium salts of mono hexarhenium chalcohalide cluster anion: BEDT-TTF$^{+\bullet}$ $(Re_6Se_5Cl_9)^-\cdot(C_3H_7ON)_2$, 25
Antimony
new method for obtaining polyparaphenylene films by electrochemical oxidation of (benzene–SbF_5) π-complexes in SO_2 medium, 103

Batteries
poly-*o*-methylaniline used as cathode material in rechargeable, 129
BEDT-TTF salts
uniform, non-interacting antiferromagnetic chains of spins in 1:1 bis-ethylenedithiotetrathiafulvalenium salt of monovalent hexarhenium chalcohalide cluster anion: (BEDT-TTF)$^{+\bullet}$ $(Re_6Se_5Cl_9)^-\cdot(C_3H_7ON)_2$, 25
Benzene
new method for obtaining polyparaphenylene films by electrochemical oxidation of (benzene–SbF_5) π-complexes in SO_2 medium, 103

Carbon fibre electrodes
modification of, by monomeric Co(II) protoporphyrin and catalytic reactivity of these electrodes in hydrazine oxidation and oxygen reduction, 309
Catalysts
synthesis and properties of polyacetylene films prepared by soluble V-based catalysts, 245
Catalytic reactivity
modification of C fibre electrodes by monomeric Co(II) protoporphyrin and, of these electrodes in hydrazine oxidation and oxygen reduction, 309
Cathode material
poly-*o*-methylaniline used as, in rechargeable batteries, 129
Charge-density waves
critical-state model for, conditions and consequences of phase slip, 321
Charge-transfer complexes
new class of; preparation of oligothiophene–TCNQ salts, 395
Charge-transfer salts
reticulate doping of organic, in epoxy resins, PVC and ABS to yield conductivity composites, 329
Chitosan
–polyaniline copolymers, soluble, and their conductive doped forms, 191
Cluster anion
(BEDT-TTF)$^{+\bullet}$ $(Re_6Se_5Cl_9)^-\cdot(C_3H_7ON)_2$, uniform, non-interacting antiferromagnetic chains of spins in 1:1 bis-ethylenedithiotetrathiafulvalenium salt of monovalent chalcohalide, 25
Cobalt
modification of C fibre electrodes by monomeric Co(II) protoporphyrin and catalytic reactivity of these electrodes in hydrazine oxidation and oxygen reduction, 309
Conducting composites
reticulate doping of organic charge-transfer salts in epoxy resins, PVC and ABS to yield, 329
Conductivity measurements
simple two-band electrode for *in situ*, of polyconjugated conducting polymers, 209
Conductivity study
d.c., of tetra-alkyl ammonium inserted polyacetylenes, 283
Copolymers
chitaline materials; soluble chitosan–polyaniline, and their conductive doped forms, 191
Copper phthalocyanine dimers
preparation and characterization of semiconducting, 63
Critical-state model
for pinned charge-density waves; conditions and consequences of phase slip, 321

© Elsevier Sequoia/Printed in The Netherlands

1,2-Dimethoxybenzene–tetracyanoethene
1:1 complex, structure, electrical conductivity and dielectric relaxation of, 79
Dielectric relaxation
of 1,2-dimethoxybenzene–tetracyanoethene 1:1 complex, structure, electrical conductivity and, 79
Doping processes
in poly(thienylene vinylene), electrochemical investigation of, 43
Durham polyacetylene
optical constants of isotropic, 33

Electrical conductivity
anisotropic, and e.s.r. spectra of whisker prepared by electrolysis of 3,3′,5,5′-tetramethylbenzidine, 237
of 1,2-dimethoxybenzene–tetracyanoethene 1:1 complex, 79
pressure dependence of, in polypyrrole, 219
Electrical properties
of polypyrrole/polymer electrolyte junctions prepared by electrochemical polymerization of pyrrole in polymer electrolyte, 201
Electrical studies
complexation of polythiophene with Pt(II) ions, 91
Electroactivity decay
of polythiophene film electrodes, 141
Electrochemical investigation
of doping processes in poly(thienylene vinylene), 43
Electrochemical oxidation
new method for obtaining polyparaphenylene films by, of (benzene–SbF_5) π-complexes in SO_2 medium, 103
Electrochemical polymerization
electrical properties of polypyrrole/polymer electrolyte junctions prepared by, of pyrrole in polymer electrolyte, 201
Electrochemical studies
complexation of polythiophene with Pt(II) ions, 91
Electrochemical synthesis
of electronic and ionic conductive polymer composites, new, 1
Electrode(s)
modification of C fibre, by monomeric Co(II) protoporphyrin and catalytic reactivity of these electrodes in hydrazine oxidation and oxygen reduction, 309
oxidative electrogeneration of poly-2,3-diaminophenazine (PDAPh) film on Pt and glassy C; hydroquinone oxidation and *p*-benzoquinone reduction at PDAPh/Pt electrode, 113
polythiophene film, electroactivity decay of, 141
simple two-band, for *in situ* conductivity measurements of polyconjugated conducting polymers, 209
Electrodeposition
of cationic radical salt of 3,3′,5,5′-tetramethylbenzidine, 389
Electrolysis
of 3,3′,5,5′-tetramethylbenzidine, anisotropic electrical conductivity and e.s.r. spectra of whisker prepared by, 237
Electronic properties
of polyvinylene sulfide, 337
Epoxy resins
reticulate doping of organic charge-transfer salts in PVC and ABS to yield conducting composites, 329
E.s.r. spectra
anisotropic electrical conductivity and, of whisker prepared by electrolysis of 3,3′,5,5′-tetramethylbenzidine, 237

Graphite
positron annihilation in K-intercalated, 135
–$ZnCl_2$ acceptor compounds, structural determination of, using (00*l*) X-ray diffraction, 171

MNDO calculations
on tetrathiafulvalenes, 179
Molecular dynamics
long-range interactions and, of polyenes; polyacetylene, 151

Naarmann method
Raman studies of polyacetylene prepared by, 253

Oligothiophene–TCNQ salts
preparation of; new class of charge-transfer complexes, 395
Optical constants
of isotropic Durham polyacetylene, 33

Optical nonlinearity
of poly(3-butylthiophene), three-photon enhanced, 229
Organic resins
semiconductive materials prepared by pyrolytic treatment of, 351
Organic superconductors
growth of high-quality single crystals of, β-$(ET)_2I_3$ and β-$(ET)_2IBr_2$, 381
Oxidative electrogeneration
of poly-2,3-diaminophenazine (PDAPh) film on Pt and glassy C electrodes; hydroquinone oxidation and *p*-benzoquinone reduction at PDAPh/Pt electrode, 113
Oxygen atoms
polymers with, in elementary cell; structure and properties, 51

Phase slip
critical-state model for pinned charge-density waves; conditions and consequences of, 321
Photoelectron spectra
of metallic conducting Pt-phthalocyanine radical salts, 301
Phthalocyaninatoruthenium(II) complexes
synthesis and characterization of soluble oligomeric bridged, 257
Phthalocyanine radical salts
photoelectron spectra of metallic conducting Pt-, 301
Platinum
complexation of polythiophene with Pt(II) ions; electrical, spectroscopic and electrochemical studies, 91
oxidative electrogeneration of poly-2,3-diaminophenazine (PDAPh) film on Pt and glassy C electrodes; hydroquinone oxidation and *p*-benzoquinone reduction at PDAPh/Pt electrode, 113
photoelectron spectra of metallic conducting Pt-phthalocyanine radical salts, 301
Polyacetylene(s)
d.c. conductivity study of tetra-alkyl ammonium inserted, 283
long-range interaction and molecular dynamics of polyenes, 151
optical constants of Durham isotropic, 33
Raman studies of, prepared by Naarmann method, 253
Polyacetylene films
synthesis and properties of, prepared by soluble V-based catalysts, 245
Polyaniline
chitaline materials; soluble chitosan–polyaniline copolymers and their conductive doped forms, 191
spectroscopic studies of, in solution and in spin-cast films, 263
Poly(3-butylthiophene)
three-photon enhanced optical nonlinearity of, 229
Polyconjugated conducting polymers
simple two-band electrode for *in situ* conductivity measurements of, 209
Poly-2,3-diaminophenazine film
oxidative electrogeneration of PDAPh film on Pt and glassy C electrodes; hydroquinone oxidation and *p*-benzoquinone reduction at PDAPh/Pt electrode, 113
Poly(3,4-dimethoxythiophene)
synthesis and properties of, 367
Polyenes
long-range interaction and molecular dynamics of; polyacetylene, 151
Polymer composites
new electrochemical synthesis of electronic and ionic conductive, 1
Polymers
with O atoms in elementary cell; structure and properties, 51
Poly-*o*-methylaniline
used as cathode material in rechargeable batteries, 129
Polyparaphenylene films
new method for obtaining, by electrochemical oxidation of (benzene–SbF_5) π-complexes in SO_2 medium, 103
Polypyrrole
pressure dependence of electrical conductivity in, 219
Polypyrrole/polymer electrolyte junctions
electrical porperties of, prepared by electrochemical polymerization of pyrrole in polymer electrolyte, 201
Poly(thienylene vinylene)
electrochemical investigation of doping processes in, 43
Polythiophene
complexation of, with Pt(II) ions; electrical, spectroscopic and electrochemical studies, 91

Polythiophene film electrodes
electroactivity decay of, 141
Polyvinylene sulfide
electronic properties of, 337
Positron annihilation
in K-intercalated graphite, 135
Potassium
positron annihilation in K-intercalated graphite, 135
Pressure dependence
of electrical conductivity in polypyrrole, 219
Pyrolytic treatment
semiconductive materials prepared by, of organic resins, 351
Pyrrole
electrical properties of polypyrrole/polymer electrolyte junctions prepared by electrochemical polymerization of pyrrole in polymer electrolyte, 201

Radical cation salts
conjugated 'bis'-tetrathiafulvalenes; donors for new class of conducting, 15
Raman studies
of polyacetylene prepared by Naarmann method, 253
Reticulate doping
of organic charge-transfer salts in epoxy resins, PVC and ABS to yield conducting composites, 329
Rhenium
uniform, non-interacting antiferromagnetic chains of spins in 1:1 bis-ethylene dithiotetrathiafulvalenium salt of monovalent hexarhenium chalcohalide cluster anion: (BEDT-TTF)$^{+\bullet}$ $(Re_6Se_5Cl_9)^{-}\cdot(C_3H_7ON)_2$, 25
Ruthenium
synthesis and characterization of soluble oligomeric bridged phthalocyaninatoruthenium(II) complexes, 257

Semiconductive materials
prepared by pyrolytic treatment of organic resins, 351
Spectroscopic studies
complexation of polythiophene with Pt(II) ions, 91
of polyaniline in solution and in spin-cast films, 263
Structural determination
of graphite–$ZnCl_2$ acceptor compounds using (00*l*) X-ray diffraction, 171
Structure
of 1,2-dimethoxybenzene–tetracyanoethene 1:1 complex, 79
of nonclassical polymers, and properties; polymers with O atoms in elementary cell, 51
Synthesis
of polyacetylene films prepared by soluble V-based catalysts, and properties, 245
of poly(3,4-dimethoxythiophene), and properties, 367
of soluble oligomeric bridged phthalocyaninatoruthenium(II) complexes, and characterization, 257

TCNQ salts
oligothiophene–, preparation of, new class of charge-transfer complexes, 395
Tetra-alkyl ammonium
inserted polyacetylenes, d.c. conductivity study of, 283
3,3′,5,5′-Tetramethylbenzidine
anisotropic electrical conductivity and e.s.r. spectra of whisker prepared by electrolysis of, 237
electrodeposition of cationic radical salt of, 389
Tetrathiafulvalenes
conjugated 'bis'-, donors for new class of conducting radical cation salts, 15
growth of high-quality single crystals of organic superconductors β-$(ET)_2I_3$ and β-$(ET)_2IBr_2$, 381
MNDO calculations on, 179
uniform, non-interacting antiferromagnetic chains of spins in 1:1 bis-ethylenedithiotetrathiafulvalenium salt of monovalent hexarhenium chalcohalide cluster anion: (BEDT-TTF)$^{+\bullet}$ $(Re_6Se_5Cl_9)^{-}\cdot(C_3H_7ON)_2$, 25

Vanadium
synthesis and properties of polyacetylene films prepared by soluble V-based catalysts, 245

X-ray diffraction
structural determination of graphite–$ZnCl_2$ acceptor compounds using (00*l*), 171

Zinc
structural determination of graphite–$ZnCl_2$ acceptor compounds using (00*l*) X-ray diffraction, 171